



KONICA MINOLTA

The essentials of imaging



# **magicolor 5650EN** **magicolor 5670EN**

Your economical colour printer



# Your economical **colour** printer

The magicolor 5650EN and magicolor 5670EN are the perfect high-efficiency A4 colour printing solution for your office. Featuring the latest Emperon™ controller technology these versatile printers leave nothing to be desired when it comes to fast colour printing for networked business teams. The effective toner save mode allows you to save up to 50% toner with no noticeable reduction in text or graphics quality. Extra flexibility is ensured with a range of additional options; including add-on paper feeders, a duplexer, hard disc and finisher. Enjoy versatile media handling and print on thick paper of up to 210 gsm, as well as optional 1.2m banner printing functions.



**magicolor 5650EN and magicolor 5670EN**  
standard configuration



## Speed and power

With 30 ppm for the magicolor 5650EN and 35 ppm for the magicolor 5670EN these printers offer truly fast colour printing. Latest-generation Emperon™ controller technology enables powerful performance, with PCL and PostScript functionality. Both printers support Microsoft Vista™'s XPS file format and have a generous memory of up to 1024 MB, increasing productivity in any environment.



**magicolor 5650 EN-d**  
and **magicolor 5670EN-d**  
with duplexer



**magicolor 5670EN (MPC)**  
with multi purpose cassette



**magicolor 5670EN-dth**  
with duplexer, lower paper  
feeder and 40 GB hard disc



**magicolor 5670EN-dthf**  
with duplexer, lower paper feeder,  
40 GB hard disc and staple finisher

## → Outstanding colour quality

Whether you want to produce sales literature, print charts and reports or create documents with high visual impact, these printers give you impressive results every time. Their high-quality Simitri® HD toner ensures a brilliant overall print quality by providing clarity and definition to the smallest detail. Other qualities of Simitri® HD is its increased resistance to withstand UV light and the minimised risk of peeling on folded document edges. Thanks to this much improved durability, all prints produced on the magicolor 5650EN and magicolor 5670EN are impressively long-lasting.

## → High quality and economical printing

When it comes to saving costs in the office, the magicolor 5650EN and magicolor 5670EN offer you three different print resolution settings that are truly versatile, providing a highly economic operation at all times. Economy mode helps save up to 50% toner on images and graphics without compromising on text quality. High quality mode offers PhotoART-9600™ (600x600x4-bit contone) resolution; while glossy mode lets you control the toner adherence up to 250% to obtain an ultra-fine image quality for those really special photo prints.

## → Direct printing from USB 2.0

PictBridge<sup>1</sup> makes printing simple, fast and easy. Equip your magicolor 5650EN and magicolor 5670EN with the optional hard disc or Compact Flash Card and take advantage of convenient direct printer access. Print documents or photos directly from your USB stick or PictBridge compliant digital camera. This highly convenient functionality supports PDF, JPEG, TIFF and XPS<sup>2</sup> formats.

## → Great versatility

Save on costs and time by producing a wide variety of documents conveniently in-house. With the magicolor 5650EN and magicolor 5670EN you can print professional business cards, 1.2m banners, colourful reports, vivid PowerPoint presentations and more – eliminating the need to outsource printing and point of sale material. The standard multi-manual feed tray processes variable paper sizes from A5 over A4 up to **banner format** (216 x 1,200 mm), as well as a comprehensive range of media types including plain and recycled paper, transparencies, labels, envelopes, and thick or glossy paper. The paper capacity is flexible and can easily accommodate high print volumes. Simply upgrade the standard 500 sheet cassette with one or two optional paper feeders up to the maximum paper capacity of 1,600 sheets. For extra versatility attach the finisher<sup>2</sup> and have your output conveniently stapled, sorted or grouped. You can manage all your office printing needs with the magicolor 5650EN and magicolor 5670EN.

## → Protect the environment

Show consideration for the environment with the magicolor 5650EN or magicolor 5670EN. Simitri® HD toner requires a much lower temperature for fusing, saving up to 15% energy. Furthermore the production of this polymerised toner emits 40% less CO<sub>2</sub>, NO<sub>2</sub> and SO<sub>2</sub> than the production of conventional pulverised toners. The toner cartridges are covered by Konica Minolta's Clean Planet Program – this ensures that 99% of the cartridges are recycled.



magicolor 5650EN 

magicolor 5670EN 



## Printer process

### Print method:

Desktop tandem full colour  
A4 laser beam printer

### Print speed:

magicolor 5650EN: 30/30 ppm  
magicolor 5670EN: 35/35 ppm

### First page out:

14/14 sec. or less (mono/colour) –  
standard plain paper

### Warm-up time:

magicolor 5650EN: 47 sec.  
magicolor 5670EN: 52 sec.

### Max. resolution:

PhotoART 9600  
(600 x 600 dpi x 4 bit contone)

### Duty cycle:

120,000 pages per month

## Hardware and software capabilities

### Processor type:

magicolor 5650EN: 733 MHz  
magicolor 5670EN: 867 MHz

### Memory:

256 MB standard, 1,024 MB max

### Printer emulations:

PostScript 3 (3016), PCL 6 (XL3.0),  
PCL 5e/c, XPS (Version 1.0)<sup>2</sup>

### Direct print:

PDF (Version 1.6)<sup>1</sup>, JPEG/TIFF<sup>1</sup>, XPS<sup>2</sup>

### Printer management:

PageScope® NetCare, PageScope®  
Web Connection, (Embedded Web  
Server), PageScope® Network Setup,  
PageScope® EMS Plug-in, Page-  
eScope® Plug and Print, PageScope®  
NDPS Gateway, PageScope® Direct  
Print, PageScope® Data Administra-  
tor, SAP R/3

### Colour simulations:

SWOP, Commercial Press, Eurocolor,  
DIC, TOYO

### CF card:<sup>1</sup>

CF card slot standard, CF card  
optional

### Hard disc kit (HDD):<sup>2</sup>

40 GB optional

## Fonts

137 standard PostScript fonts,  
93 PCL scalable fonts,  
51 symbol sets,  
10 standard line printer fonts

## Interface support

10-Base-T/100-Base-TX/  
1,000-Base-T Ethernet (supports  
TCP/IP, EtherTalk, IPX/SPX, UDP, IPv6,  
IPP 1.1, SNMP, HTTP, HTTPS, WSD),  
USB 2.0, IEEE 1284 compatible  
Parallel Port, PictBridge 1.0

## Operating system compatibility

### Windows®:

2000, 2003, XP, XP64, Vista™ 32/64

### Macintosh®:

OS X (10.2, 10.3, 10.4, 10.5)

### Linux®:

Redhat v.9.0, SUSE v.8.2

### Netware®:

Netware 4, 5, 6

## Paper handling

### Media input magicolor 5650/5670EN:

Standard paper input:  
500-sheet lower paper feeder and  
100-sheet multi manual feed tray

### Optional paper input:

2x 500-sheet lower paper feeder-

### Media input

### magicolor 5670EN (MPC):

Standard paper input:  
250-sheet multi purpose cassette,  
100-sheet multi manual feed tray

### Optional paper input:

2x 500-sheet lower paper feeder

### Media output:

Standard paper output:  
250-sheet face down output tray

### Optional paper output:

600-sheet finisher

### Finisher (optional):<sup>2</sup>

2-bin staple finisher with sorting  
function

### Printable area:

4,2 mm from all edges

## Media support magicolor

## 5650/5670EN:

Lower paper feeder:  
A4, media weight 60–90 gsm

### Multi manual feed tray:

A4, A5, A6, B5, B5 (ISO), B6,  
letter, executive, photo size,  
government letter/legal, envelope,  
folio, legal, double postcard,  
statement, UK Quarto, foolscap,  
SP folio, 16K, Kai 16, Kai 32,  
J-Postcard, custom size (92–216 mm  
x 148–1200 mm), media weight  
60–210 gsm

Duplexing: A4 (60–90 gsm)

### Media support

### magicolor 5670EN (MPC):

Multi purpose cassette:  
A4, A5, A6, B5, B5 (ISO), B6,  
letter, executive, photo size,  
government letter/legal, envelope,  
folio, legal, double postcard,  
statement, UK Quarto, foolscap,  
SP folio, 16K, Kai 16, Kai 32,  
J-Postcard, custom size  
(92–216 mm x 148–297 mm),  
media weight 60–210 gsmMulti  
manual feed tray:  
Identical with magicolor  
5650/5670EN

Duplexing: A4 (60–90 gsm)

### Print media:

Plain paper, thick paper,  
recycled paper, transparency,  
letterhead, envelope (C6, C5,  
monarch, DL), glossy paper and  
long length paper (216 x 1,200 mm)

## Physical

### Dimensions: (W x D x H mm)

420 x 526 x 420

### Weight:

33.4 kg engine without consumables

45 kg packaged to ship

## Electrical

### Input voltage range:

220 ~ 240 V (± 10%)

### Frequency:

50 ~ 60 Hz (± 3 Hz)

### Power consumption:<sup>3</sup>

Max. 1,450 W or less

Average during printing 750 W or less

Stand by 200 W or less

Energy saving 18 W or less

## Environmental

### Temperature:

10 ~ 35° C

### Humidity:

15 to 85 % RH

### Noise levels:

56 dB (A) or less printing  
39 dB (A) or less standby

## Regulatory/Safety conformity

Doc, CE Marking, GS, EMC, WEEE,  
Energy Star, EcoMark

## Consumables<sup>4</sup>

### Pre-installed:

magicolor 5650EN:

Cyan, Magenta, Yellow and Black  
toner – yield up to 6,000 pages

magicolor 5670EN:

Cyan, Magenta, Yellow and Black  
toner – yield up to 12,000 pages

Cyan, Magenta, Yellow and Black  
print unit – yield up to 30,000 pages

Waste toner bottle – yield up to  
36,000 pages (monochrome) and  
9,000 pages (colour)

### Replacements:

Cyan, Magenta, Yellow and Black  
toner – yield up to 6,000 pages

Cyan, Magenta, Yellow and Black  
high capacity toner – yield up to  
12,000 pages

Cyan, Magenta, Yellow and Black  
print unit – yield up to 30,000 pages

Waste toner bottle – yield up to  
36,000 pages (monochrome) and  
9,000 pages (colour)

## Maintenance parts

### Transfer roller with Ozone filter:

Yield up to 120,000 pages

### Transfer belt:


Yield up to 120,000 pages

### Fuser unit:

Yield up to 150,000 pages

## Warranty period and conditions

1 year on-site warranty  
(within EU; local law applies).



<sup>1</sup> CF card enables PDF direct printing, collating, job accounting, direct print (PDF, JPEG, TIFF), storing fonts/overlays/profiles/macro

<sup>2</sup> Optional hard disc kit enables XPS, Secure Printing, Print & Hold, Proof & Print, job storing and finisher in addition to all extra functions with CF card.

<sup>3</sup> The addition of some options, in some combinations may cause the product to become non-compliant. Establishment of new regulations may cause the product to become non-compliant. Energy Star compliance does not represent an EPA endorsement of any product or service. Specifications and accessories are based on the information available at the time of printing, and are subject to change without notice. For the latest information, please visit [www.konicaminolta.eu/printer](http://www.konicaminolta.eu/printer).

<sup>4</sup> The stated life expectancy of each consumable in the printer is based on printing under specific operating conditions such as page coverage for a particular page size (5 % coverage of A4). The actual consumables life will vary depending on the use and other printing variables including page coverage, page size, media type, continuous or intermittent printing, ambient temperature and humidity. For more information about toner life expectancy, visit <http://printer.konicaminoltaeurope.com/tco>

© 2009 KONICA MINOLTA. All rights reserved. Specifications are subject to change without notice. The KONICA MINOLTA logo, magicolor, Emperon and Simitri HD, PhotoART-9600 are trademarks of KONICA MINOLTA. All other brand and product names may be registered trademarks or trademarks of their respective holders and are hereby acknowledged.

For further information please visit [www.konicaminolta.co.uk/printer](http://www.konicaminolta.co.uk/printer)

## Your Konica Minolta Business Solutions Partner:



Konica Minolta  
Business Solutions (UK) Ltd  
Precedent Drive • Rooksley  
Milton Keynes • MK13 8HF  
Tel. +44 (0) 1908 208 380  
Fax. +44 (0) 1908 208 366  
[www.konicaminolta.co.uk/printer](http://www.konicaminolta.co.uk/printer)