



Versys Tourer / 2011

Versys Tourer

Stretching a long day's ride into the weekend, the Versys Tourer is a go anywhere machine complete with additional colour matched panniers and vario screen.

£ 6,959 / £ 7,359 (ABS)

Price includes VAT at 20%, delivery to dealer and preparation of motorcycle. Government charges are charged in addition



Metallic Imperial
Red



Metallic Spark Black

Kawasaki

Features

Versys Tourer / 2011



Versys varioscreen



Versys tankprotector



Versys panniers



Versys handguards

Accessories

Versys Tourer / 2011



ENGINE GUARDS
£ 159.95



HIGHER GEL SEAT
£ 295.95



LOWER GEL SEAT
£ 295.95

More accessories



12V OUTLET
as from £ 92.95



KNEE PADS
£ 21.95



PROTECTION KIT
PANNIERS
£ 31.95



BOBBIN SET M10
£ 18.95



U-LOCK
£ 73.95



U-LOCK
£ 68.95



PAINT

Specifications

Versys Tourer / 2011

Engine

Engine type	Liquid-cooled, 4-stroke Parallel Twin
Displacement	649 cm ³
Bore x stroke	83 x 60 mm
Compression ratio	10.6:1
Valve/Induction system	DOHC, 8 valves
Fuel system	Fuel injection: ø38 mm x 2 (Keihin)
Ignition	Digital
Starting	Electric
Lubrication	Forced lubrication, semi-dry sump

Transmission

Transmission	6-speed, return
Final Drive	Sealed chain
Primary reduction ratio	2.095 (88/42)
Gear ratios: 1st	2.438 (39/16)
Gear ratios: 2nd	1.714 (36/21)
Gear ratios: 3rd	1.333 (32/24)
Gear ratios: 4th	1.111 (30/27)
Gear ratios: 5th	0.966 (28/29)
Gear ratios: 6th	0.852 (23/27)
Final reduction ratio	3.067 (46/15)
Clutch	Wet multi-disc, manual

Frame

Frame type	Diamond, high-tensile steel
Rake/Trail	25° / 108 mm
Wheel travel, front	150 mm
Wheel travel, rear	145 mm
Tyre, front	120/70ZR17M/C (58W)
Tyre, rear	160/60ZR17M/C (69W)
Steering angle, left / right	35° / 35°

Suspension

Suspension, front	41 mm inverted telescopic fork with stepless (right-side) adjustable rebound damping and adjustable preload
Suspension, rear	Offset laydown single-shock with 13-way adjustable rebound damping and 7-way adjustable preload

Brakes

Brakes, front	Dual semi-floating 300 mm petal discs Caliper: Dual piston
Brakes, rear	Single 220 mm petal disc Caliper: Single-piston

Dimensions

Dimensions (L x W x H)	2,125 mm x 840 mm x 1,330 mm
Wheelbase	1,415 mm
Ground Clearance	180 mm
Seat height	845 mm
Fuel capacity	19 litres
Curb Mass	206 kg (KLE650C) 209 kg (KLE650D)

Performance

Maximum power	47 kW {64 PS} / 8,000 rpm. 25 kW {34 PS} / 6,500 rpm (25 kW kit)
Maximum torque	61 Nm {6.2 kgf.m} / 6,800 rpm