



KVF750 4x4 / 2011

FAST, AGILE DEPENDABLE AND TOUGH!

Designed for demanding applications, this outstanding ATV has a smooth power delivery for rapid acceleration with massive torque to pull a heavy load up a long, demanding incline with ease. This is matched to compact dimensions and light steering for brilliant manoeuvrability.

£ 7,299

Prices are exclusive of VAT



Woodsman Green



Dark Royal Red

Kawasaki

Features

KVF750 4x4 / 2011



Powerful engine



11MY_KVF750_GRN_brakes



IRS and double wishbone suspension



11MY_KVF750_GRN_2WD-4WD



11MY_KVF750_GRN_instruments



New bumper design

More features



Polished rims



Sealed storage



Dual-rate springs



Throttle



Stronger axle boots



11MY_KVF750_GRN_aircleaner

Specifications

KVF750 4x4 / 2011

Engine

Engine type	Liquid-cooled, 4-stroke 90o V-twin
Displacement	749 cm ³
Bore x stroke	85 x 66 mm
Compression ratio	8.8:1
Valve/Induction system	SOHC, 4 valves per cylinder
Fuel system	Fuel injection:φ36 mm x 2 (Mikuni)
Ignition	Battery & Coil (Transistorised ignition)
Starting	Electric

Transmission

Transmission	Dual range CVT with reverse
Final Drive	2WD / 4WD, shaft

Frame

Frame type	Double cradle, high-tensile tubular steel
Wheel travel, front	171 mm
Wheel travel, rear	200 mm
Tyre, front	AT 25 x 8-12
Tyre, rear	AT 25 x 10-12

Suspension

Suspension, front	Double wishbone with twin shock absorbers
Suspension, rear	Double wishbone with double shock absorbers

Brakes

Brakes, front	Dual 200 mm discs with twin piston calipers
Brakes, rear	Sealed multi-plate system

Dimensions

Dimensions (L x W x H)	2,195 mm x 1,166 mm x 1,233 mm
Wheelbase	1,284 mm
Ground Clearance	247 mm
Fuel capacity	19 litres
Dry weight	275 kg
Curb Mass	297 kg

Performance

Maximum power	37.1 kW (50.4 PS) / 6,500 rpm
Maximum torque	59.4 N-m / 4,500 rpm